

**Amendments to the Claims:**

The following listing of claims will replace all prior versions and/or listings of claims in the application.

**Listing of Claims:**

1. (Currently amended) A method, comprising:  
providing a graphical display in an insurance claim processing system comprising at least one human body representation comprising a visual image;  
receiving a first selection of a first body part on at least one human body representation;  
displaying, using the insurance claims processing system, in response to receiving the first selection of the first body part, a first set of input fields for input selection relating to at least one injury for the first body part ~~input selection information related to the selected body part;~~  
receiving an input selection relating to at least one injury for the first body part via at least one of the input fields of the displayed first set of input fields;  
after receiving the input selection relating to at least one injury for the first body part, receiving at least one selection of a second body part that is different from the first body part;  
in response to receiving the at least one selection of the second body part:  
removing from the display the first set of input fields for input selection relating to the at least one injury for the first body part; and  
displaying, using the insurance claims processing system, a second set of input fields for input selection relating to at least one injury for the second body part, wherein the second set of input fields for input selection relating to

the at least one injury for the second body part for the second body part is different from the first set of input fields for input selection relating to the at least one injury for the first body part;

and

receiving an input selection relating to at least one injury for the second body part via at least one of the displayed input fields of the displayed second set of input fields selection information;

~~wherein the input selection information comprises a listing of at least one subpart.~~

2. (Currently amended) The method of claim 1, wherein ~~the at least one of the sets of input fields selection information further~~ comprises a listing of at least one injury for at least one subpart and the input selection comprises selecting an injury from the listing of at least one injury.

3. (Cancelled).

4. (Currently amended) The method of claim 2, wherein the listing of at least one injury for at least one subpart ~~appears for the subpart when the subpart is selected in response to selecting the subpart~~ from the listing of at least one subpart.

5. (Currently amended) The method of claim 1, wherein at least one of the sets of input fields the input selection information for the at least one of the selected body parts comprises a listing of at least one subpart and a listing of at least one injury.

6. (Currently amended) The method of claim 5, wherein at least one of the sets of input fields the input selection information for a listing of at least one injury further comprises a listing of at least one treatment.

7. (Original) The method of claim 6, wherein a listing of at least one treatment appears when an injury is selected from a listing of at least one injury.

8. (Original) The method of claim 1, wherein at least one human body representation comprises a representation of at least one of a human musculature, a human nervous system, a human skeletal system, and a human skin.

9. (Original) The method of claim 1, further comprising displaying a menu near the selected body part.

10. (Currently amended) The method of claim 1, further comprising distinguishing the body part selected from unselected body parts by at least one of highlighting, outlining, and circling the selected body part.

11. (Original) The method of claim 1, further comprising distinguishing a body part for which input selection has been received.

12. (Original) The method of claim 11, wherein an indicator used for a body part that is currently selected is different from a body part from which an input selection has been received.

13. (Original) The method of claim 1, further comprising displaying a more detailed view of a body part, in response to the body part being selected in the graphical display.

14. (Original) The method of claim 1, wherein the listing of at least one subpart appears in a popup menu.

15. (Original) The method of claim 14, further comprising displaying a popup menu of at least one injury type for a subpart when the subpart is selected.

16. (Original) The method of claim 1, wherein a subpart in the listing of at least one subpart is a node, wherein selecting the node displays a listing of at least one injury for the subpart.

17. (Original) The method of claim 1, further comprising displaying a listing of received input selections.

18. (Original) The method of claim 17, further comprising displaying an indicator next to a listing of a received input selection to indicate whether the input selection should be considered in a respective insurance claim.

19. (Original) The method of claim 1, further comprising displaying a listing of available human body representations.

20. (Original) The method of claim 19, further comprising displaying an indicator relative to a listing of a human body representation to indicate the human body representations that have had input selections entered.

21. (Currently amended) A computer-readable storage medium comprising program instructions stored thereon, wherein the program instructions are executable to implement a method of:

providing a graphical display in an insurance claim processing system comprising at least one human body representation comprising a visual image;

selecting a body part on at least one human body representation;  
displaying, in response to receiving the first selection~~ing~~ of the first body part, a first set of input fields for input selection relating to at least one injury for the first body part~~input selection information related to the selected body part~~; and  
receiving an input selection relating to at least one injury for the first body part via at least one of the input fields of the displayed first set of input fields;  
after receiving the input selection relating to at least one injury for the first body part,  
receiving at least one selection of a second body part that is different from the first body part;  
in response to receiving the at least one selection of the second body part;  
removing from the display the first set of input fields for input selection relating to the at least one injury for the first body part; and  
displaying, using the insurance claims processing system, a second set of input fields for input selection relating to at least one injury for the second body part, wherein the second set of input fields for input selection relating to the at least one injury for the second body part for the second body part is different from the first set of input fields for input selection relating to the at least one injury for the first body part;  
receiving an input selection relating to at least one injury for the second body part via at least one of the displayed input fields of the displayed second set of input fields selection information;  
~~wherein the input selection information comprises a listing of at least one subpart.~~

22. (Currently amended) The computer-readable storage medium of claim 21, wherein at least one of the sets of input fields ~~the input selection information further~~ comprises a listing of at least one injury for at least one subpart and the ~~input selection comprises~~ selecting an injury from the listing of at least one injury.

23. (Cancelled).

24. (Currently amended) The computer-readable storage medium of claim 22, wherein the listing of at least one injury for at least one subpart appears in response to selecting the subpart~~for the subpart when the subpart is selected~~ from the listing of at least one subpart.

25. (Currently amended) The computer-readable storage medium of claim 21, wherein at least one of the sets of input fields ~~the input selection information for the~~ at least one of the selected body parts comprises a listing of at least one subpart and a listing of at least one injury.

26. (Currently amended) The computer-readable storage medium of claim 25, wherein at least one of the sets of input fields ~~the input selection information~~ for a listing of at least one injury further comprises a listing of at least one treatment.

27. (Currently amended) The computer-readable storage medium of claim 26, wherein a listing of at least one treatment appears when an injury is selected from a listing of at least one injury.

28. (Currently amended) The computer-readable storage medium of claim 21, wherein at least one human body representation comprises a representation of at least one of a human musculature, a human nervous system, a human skeletal system, and a human skin.

29. (Currently amended) The computer-readable storage medium of claim 21, wherein the program instructions are further executable to implement displaying a menu near the selected body part.

30. (Currently amended) The computer-readable storage medium of claim 21, wherein the program instructions are further executable to implement distinguishing the body part selected from unselected body parts by at least one of highlighting, outlining, and circling the selected body part.

31. (Currently amended) The computer-readable storage medium of claim 21, wherein the program instructions are further executable to implement distinguishing a body part for which input selection has been received.

32. (Currently amended) The computer-readable storage medium of claim 31, wherein an indicator used for a body part that is currently selected is different from a body part from which an input selection has been received.

33. (Currently amended) The computer-readable storage medium of claim 21, wherein the program instructions are further executable to implement displaying a more detailed view of a body part, in response to the body part being selected in the graphical display.

34. (Currently amended) The computer-readable storage medium of claim 21, wherein the listing of at least one subpart appears in a popup menu.

35. (Currently amended) The computer-readable storage medium of claim 34, wherein the program instructions are further executable to implement displaying a popup menu of at least one injury type for a subpart when the subpart is selected.

36. (Currently amended) The computer-readable storage medium of claim 21, wherein a subpart in the listing of at least one subpart is a node, wherein selecting the node displays a listing of at least one injury for the subpart.

37. (Currently amended) The computer-readable storage medium of claim 21, wherein the program instructions are further executable to implement displaying a listing of received input selections.

38. (Currently amended) The computer-readable storage medium of claim 37, wherein the program instructions are further executable to implement displaying an indicator next to a listing of a received input selection to indicate whether the input selection should be considered in a respective insurance claim.

39. (Currently amended) The computer-readable storage medium of claim 21, wherein the program instructions are further executable to implement displaying a listing of available human body representations.

40. (Currently amended) The computer-readable storage medium of claim 39, wherein the program instructions are further executable to implement displaying an indicator relative to a listing of a human body representation to indicate the human body representations that have had input selections entered.

41. (Currently amended) An insurance claim processing system, comprising:  
a CPU;  
a memory coupled to the CPU, wherein the memory comprises program instructions executable to implement:



providing a graphical display in an insurance claim processing system comprising  
at least one human body representation comprising a visual image;  
receiving a first selectioning of a first body part on at least one human body  
representation;  
displaying, in response to receiving the first selectioning of the first body part, a  
first set of input fields for input selection relating to at least one injury for  
the first body part-input selection information related to the selected body  
part;  
receiving an input selection relating to at least one injury for the first body part via  
at least one of the input fields of the displayed first set of input fields;  
after receiving the input selection relating to at least one injury for the first body  
part, receiving at least one selection of a second body part that is different  
from the first body part;  
in response to receiving the at least one selection of the second body part;  
removing from the display the first set of input fields for input selection relating to  
the at least one injury for the first body part; and  
displaying, using the insurance claims processing system, a second set of input  
fields for input selection relating to at least one injury for the second body  
part, wherein the second set of input fields for input selection relating to  
the at least one injury for the second body part for the second body part is  
different from the first set of input fields for input selection relating to the  
at least one injury for the first body part;  
receiving an input selection relating to at least one injury for the second body part  
via at least one of the displayed input fields of the displayed second set of  
input fields-selection information; and  
wherein the input selection information comprises a listing of at least one subpart.

42. (Currently amended) The system of claim 41, wherein at least one of the sets of input fields ~~the input selection information~~ further comprises a listing of at least one injury for at least one subpart and the input selection comprises selecting an injury from the listing of at least one injury.

43. (Cancelled).

44. (Currently amended) The system of claim 42, wherein the listing of at least one injury for at least one subpart appears in response to selecting the subpart ~~for the subpart when the subpart is selected~~ from the listing of at least one subpart.

45. (Currently amended) The system of claim 41, wherein at least one of the sets of input fields ~~the input selection information~~ for the at least one of the selected body parts comprises a listing of at least one subpart and a listing of at least one injury.

46. (Currently amended) The system of claim 45, wherein at least one of the sets of input fields ~~the input selection information~~ for a listing of at least one injury further comprises a listing of at least one treatment.

47. (Original) The system of claim 46, wherein a listing of at least one treatment appears when an injury is selected from a listing of at least one injury.

48. (Original) The system of claim 41, wherein at least one human body representation comprises a representation of at least one of a human musculature, a human nervous system, a human skeletal system, and a human skin.

49. (Original) The system of claim 41, wherein the program instructions are further executable to implement displaying a menu near the selected body part.

50. (Currently amended) The system of claim 41, wherein the program instructions are further executable to implement distinguishing the body part selected from unselected body parts by at least one of highlighting, outlining, and circling the selected body part.

51. (Original) The system of claim 41, wherein the program instructions are further executable to implement distinguishing a body part for which input selection has been received.

52. (Original) The system of claim 51, wherein an indicator used for a body part that is currently selected is different from a body part from which an input selection has been received.

53. (Original) The system of claim 41, wherein the program instructions are further executable to implement displaying a more detailed view of a body part, in response to the body part being selected in the graphical display.

54. (Original) The system of claim 41, wherein the listing of at least one subpart appears in a popup menu.

55. (Original) The system of claim 54, wherein the program instructions are further executable to implement displaying a popup menu of at least one injury type for a subpart when the subpart is selected.

56. (Original) The system of claim 41, wherein a subpart in the listing of at least one subpart is a node, wherein selecting the node displays a listing of at least one injury for the subpart.

57. (Original) The system of claim 41, wherein the program instructions are further executable to implement displaying a listing of received input selections.

58. (Original) The system of claim 57, wherein the program instructions are further executable to implement displaying an indicator next to a listing of a received input selection to indicate whether the input selection should be considered in a respective insurance claim.

59. (Original) The system of claim 41, wherein the program instructions are further executable to implement displaying a listing of available human body representations.

60. (Original) The system of claim 59, wherein the program instructions are further executable to implement displaying an indicator relative to a listing of a human body representation to indicate the human body representations that have had input selections entered.

61. (Currently amended) A method, comprising:  
providing a graphical display in an insurance claim processing system comprising  
at least one human body representation comprising a visual image;  
displaying a listing of at least one subpart associated with a body part on the  
human body representation;  
receiving input corresponding to at least one body part on the at least one human  
body representation; and

highlighting, in response to receiving the input, at least one body part on the graphical display of the human body representation corresponding to the received input on at least one human body representation.

62. - 99. (Cancelled).

100. (New) The method of claim 1, further comprising highlighting body parts for which input has been received in a different manner than body parts that have been selected but for which input has not been received.